

Journal of Pharmaceutical Research International

27(4): 1-6, 2019; Article no.JPRI.48940

ISSN: 2456-9119

(Past name: British Journal of Pharmaceutical Research, Past ISSN: 2231-2919.

NLM ID: 101631759)

Effectiveness of Forgiveness Skill on Worry and **Hopelessness in Women Victims of Sexual Abuse in Childhood**

Shahrbanoo Ghahari^{1,2}, Neda Naeimi³, Zahra Azemnia³, Mohammad Mazloumirad³, Susan Salari², Nadia Ghorbanzadeh Piraghon³, Mahro Asadollahinia⁴ and Abouzar Nouri Talemi^{5,6*}

¹Department of Mental Health. School of Behavioral Sciences and Mental Health (Tehran Psychiatry of Institute), Iran University of Medical Sciences (IUMS), Tehran, Iran. ²Psychiatry and Behavioral Sciences Research Center, Department of Psychiatry, Addiction Institute, Mazandaran University of Medical Sciences, Sari, Iran. ³Department of Clinical Psychology, Islamic Azad University, Tonekabon Branch, Tonekabon, Iran.
⁴Islamic Azad University, Varamin, Pishva Branch, Varain, Iran. ⁵Dow Medical College, Karachi, Pakistan. ⁶AJA University of Medical Sciences, Tehran, Iran.

Authors' contributions

This work was carried out in collaboration among all authors. Authors SG and NN designed the study and monitored research process. Authors ZA and MM performed the statistical analysis. Authors SS, NG and MA managed the literature searches, wrote the protocol and wrote the first draft of the manuscript. Author ANT read and edited paper in English language. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JPRI/2019/v27i430175

(1) Dr. R. Deveswaran, Associate Professor & Head, Drug Design and Development Centre, Faculty of Pharmacy, M. S. Ramaiah University of Applied Sciences, India.

(1) K. Srinivasan, CKS Theja Institute of Dental Sciences and Research, India. (2) M. Mudasir Naqshbandi, Indira Gandhi National Open University, India. Complete Peer review History: http://www.sdiarticle3.com/review-history/48940

Original Research Article

Received 01 March 2019 Accepted 06 May 2019 Published 14 May 2019

ABSTRACT

Sexual abuse is a major health problem and trauma if encountered in childhood. This study was conducted about the Effectiveness, Forgiveness skill on worry and hopelessness in Women Victims of sexual abuse in childhood.

This is a semi-experimental study with pretest-posttest as well as control and test groups. 30

^{*}Corresponding author: E-mail: Abzinouri@gmail.com;

depressed women who reported a sexual abuse by relative and referred to several psychological clinics in Tehran in 2017 were studied. Studied sample consisted of 30 women who were selected randomly (how the author has used random sampling) (the author should have used purposive sampling rather than random) and signed into two 15-member experimental and control groups. Sample members of test group were under intervention individually within 12 sessions with forgiveness approach and control group members were remained in waiting list. Both of groups filled out worry and hopelessness scale in baseline and after intervention. The data were analyzed using covariance analysis through IBM SPSS 22.0 software.

Results obtained from study indicate difference between worry and hopelessness level of women victims of sexual abuse in control and experimental groups after forgiveness training.

Forgiveness skill is effective in reducing worry and hopelessness in women victims of sexual abuse in childhood.

Keywords: Forgiveness; worry; hopelessness; women; sexual abuse.

1. INTRODUCTION

Sexual abuse has been considering as a phenomenon since 1980s and it seemingly is expanding in all of modern societies and cultures [1]. Such prevalence is higher in developing countries compared to the developed countries [2]. It is difficult to diagnose epidemiology of sexual abuse of children in some countries. The results of some studies on the outbreak of sexual abuse indicate that prevalence of this phenomenon among boys equals 2-30% and 4-60% among girls [3]. It was estimated in 2008 that about 772000 children were victims of mistreatment, 120000 children were victims of physical abuse and 70000 children were victims of sexual abuse [4]. Social Injury Prevention Office of Iran's Social Welfare Organization has reported outbreak of sexual abuse of children equal to 8-15% in Iran [5]. According to Zinzow et al. [6]. Depression and hopelessness are the most common symptoms in victims of child sexual abuse. Worry and anxiety can be named as other common symptoms [7]. Other studies have proved that victims of child sexual abuse suffer from worry, hopelessness, depression and anxiety during their adulthood [8-9]. Johoson [10] and Rodriguez [11] introduced anxiety and worry as common symptoms in studied victims. He showed that victims of sexual abuse.

The concept of forgiveness is defined as the process of voluntary waiver of resentment and hatred against others so that not only the person forgets the hostility and hatred but also wishes transgressor the best. Forgiveness consists of four steps including awareness of unpleasant experience and its implications, decision on forgiveness, forgiving self and others, and finding a new concept [12,13]. Forgiveness is reported

as a treatment to give away the anger caused by psychological injuries [13]. Walker [14] introduces forgiveness as a tool to release from mental conflicts, worries, ruminations and mental obsessions as well as a method used to increase quality of life of the person. Ghahari and Mazloumi found that forgiveness is a skill contributing to reduction in depression and anxiety in women who are victims of childhood sexual violence [15]. According to Reed and Enright [16] and Leach et al. [17], forgiveness is a skill, which reduces negative mood.

In line with the target studies, this study also was conducted to examine effectiveness of forgiveness skill in reducing worry and hopelessness of women victims of sexual abuse during their childhood.

2. METHODS

This is a semi-experimental study with pretestposttest as well as control and test groups. Convenient sampling method was used to select women, who had reported sexual abuse during their childhood among clients referring to psychology and psychiatry clinics in Tehran in 2017. Considering the inclusion criteria such as diploma degree, experience of sexual abuse before 7 years old, lack of alcohol consumption and drug, lack of psychotic disorders, subjects filled out worry questionnaire (1994) and Beck hopelessness scale (1974) then 30 members were selected based on their high scores of hopelessness and concern questionnaires. These 30 subjects were assigned to two groups (n=15) randomly. Experimental subjects were trained through 12 forgiveness individually while control group remained on the waiting list. Experimental and control groups filled out the worry and hopelessness questionnaires before and after intervention. Data were analyzed using ANCOVA through SPSS22 Software.

3. INSTRUMENT

Following instruments were used in this study:

3.1 Beck Hopelessness Scale (1974)

This 20-item tool measures negative thought about the future. This scale evaluates hopelessness rate and risk prediction of suicide [18]. Hopelessness test was standardized on students of Islamic Azad University Tehran Branch by Dezhgam [19]. The correlation between scores of each item with total score was examined and it was found that Beck Hopelessness Scale measures a unique structure. Reliability of scale obtained to 79% by internal consistency coefficient (Cronbach's alpha). To examine validity of test, the main components were analyzed and five factors were extracted: 1- loss of motivation to achieve goals 2- hopelessness about the future 3- attitude toward the future 4- life prospect 5confidence in future. The aforementioned factors could explain 48.9% of total variance.

3.2 Penn State Worry Questionnaire (PSWQ) (Molina & Borkovec, 1994)

This 16-item questionnaire was designed to evaluate worry and obtain extreme, pervasive and uncontrolled features of pathological worry. This questionnaire is scored at 5-point Likert scale from 1 (never) to 5 (very high). Cronbach's alpha and reliability of 2-10 week retest obtained to 0.86-0.93 and 0.74-0.93, respectively. Shirinzadeh et al. [20] reported test reliability to 0.86 and 0.77, respectively using Cronbach's alpha and 4-week retest.

3.3 Forgiveness Protocol

Forgiveness protocol was designed like other treatment protocols in order to be implemented for patients. This protocol was introduced by Palvino and Lee (1995) based on the Enright's studies [16]. The protocol is as follows:

Session 1: introducing group members, defining forgiveness and examining advantages of forgiveness for self-empathy

Session 2: investigating psychological defenses

Session 3: understanding the grief caused by sexual abuse

Session 4: exploring feelings towards the abuser

Session 5: investigating consequences of not forgiving the abuser

Session 6: grieve for the loss caused by abuse

Session 7: facing the anger and hatred; finding a meaning for the unfair abuse and grief

Session 8: practicing the kindness and empathy

Session 9: practice to forgive the abuser

Session 10: practice to forgive self

Session 11: fifing new goals in life to forgive self and abuser

Session 12: reviewing all of sessions and receiving participants' feedback.

4. RESULTS

4.1 Demographic Data of Subjects

Most of the participants were women; 14 members (44%) were single and 86 members were married; 78% had diploma and 225 had BA degree. All of participants were at age range of 20-33 and all of them had experienced sexual abuse by their neighbors or relatives when they were younger than 7.

Table 1 indicates pretest and posttest results of experimental and control groups in terms of anxiety and depression. The obtained results show that mean scores of experimental group were reduced after intervention.

The obtained values indicate difference between mean scores of control and experimental groups in dependent variables.

Table 2 shows the adjusted means and covariance results of dependent variables indicating effect of independent variable on dependent variable.

Table 3 shows that there is a difference between adjusted means of two groups.

Table 1. Pretest and posttest results of experimental and control groups in relation with dependent variable

Experimental group		Control group		Variable
Posttest	Pretest	Posttest	Pretest	
8/06	87/.90	23/01	97/.65	Hopelessness
7/11	65/01	62 /05	66 /34	Worry

Table 2. Mean and adjusted standard deviation and results of ANCOVA of dependent variables

Covariance		Control group		Experimental group		p	
Eta	Р	F (26, 1)	SD	М	SD	M	
0.50	0.00	17.31	1.40	87.55	1.64	94.03	Worry
				61.12	1.26	56.20	Hopelessness

Table 3. MANCOVA for measuring hybrid variable

Level eta	Significance	F (25.2)	Value	Source
0.65	0.00	23.28	0.37	Hybrid variable (group)

Note: Multiple variable can be calculated using Wilks' Lambda formula.

Eta square that is related to results of hybrid variables of Wilks' Lambda test was significant indicating significant difference between participants in two groups. Accordingly, the research hypothesis of effectiveness of forgiveness skill in reducing worry and hopelessness in women victims of sexual abuse in childhood was confirmed.

5. DISCUSSION

This study was conducted to examine effectiveness of forgiveness skill in reducing worry and hopelessness of women victims of sexual abuse in childhood. Investigations indicate that interventions with forgiveness approach of Enright Model [16] lead to decline in negative emotions.

Results of this study showed that interventions with forgiveness approach lead to reduce in negative emotions. This results were in line with results obtained some studies such as: Brown and Phillips [21], Tse and Yip [22] who found forgiveness as a protective factor against depression and reduces it; Diblasio and Benda [23] who found a positive significant correlation between inability to forgive self and depression, anxiety, distrust, low self-esteem, and social introversion; Leach et al. [17] who showed that increases positive forgiveness emotional reactions and reduces negative emotional reactions such as worry and hopelessness;

Suchday and Freidberg [24] who found negative correlation between forgiveness and anxiety, hopelessness and depression; Lavafpour Nouri et al. [25] who proved the effect of forgiveness on reducing depression, anxiety and worry in adolescences. The results of present paper were also matched with results of the study conducted by Ghahari and Mazloumi [15] who showed that forgiveness could reduce anxiety and depression symptoms in victims of sexual abuse.

6. CONCLUSION

It seems that forgiveness training leads to reduction in negative feelings and increase in positive feelings in victims by improving their mental health and quality of life, which contributes to reduction in depression and anxiety in such victims.

7. LIMITATION

The studied group was just consisted of women with unequal conditions in terms of age, education, job and social class; hence, therapy was implemented for them individually and this was a limit in this study. Another heterogeneity of study was abuse experience in childhood that had happened for some of subjects once or it was experienced by some other several times.

8. SUGGESTIONS

We suggest forgiveness intervention for improvement of psychological problems in women with history of sexual abuse.

CONSENT

Patient's written consent has been collected and preserved by the authors.

ETHICAL APPROVAL

Written approval of Ethics committee has been collected and preserved by the authors.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Grubb A, Turner E. Attribution of blame in rape cases: A review of the impact of rape myth acceptance, gender role conformity and substance use on victim blaming. Aggress Violent Behav. 2012;17(5):443-52.
- 2. Mikton C, Butchart A. Child maltreatment prevention: A systematic review of reviews. Bulletin of the World Health Organization. 2009;87(5):353-61.
- 3. EPPS K, Fisher D. A review of the research litrature on young people who sexually, The abuse. In Garyo Reilly, William L. Marshall Alan, Carr, Richard C. Beckett (Eds.), Handbook of Clinical Intervention with Young People Who Sexually Abuse. 2004;62-102.
- 4. Lopez-Castroman J, Melhem N, Birmaher B, Greenhill L, Kolko D, Stanley B, et al. Early childhood sexual abuse increases suicidal intent. World psychiatry. 2013; 12(2):149-54.
- Mirzaii J, khodaii M, Mohammadkhani P. The impact of sexual violence in detection of post-traumatic stress disorder (PTSD). Journal of Rehabilitation. 2006;7(4):65-74.
- Zinzow HM, Resnick HS, McCauley JL, Amstadter AB, Ruggiero KJ, Kilpatrick DG. The role of rape tactics in risk for posttraumatic stress disorder and major depression: Results from a national sample of college women. Depress Anxiety. 2010;27(8):708 -15.
- Cohen JA, Deblinger E, Mannarino AP, Steer RA. A multisite, randomized controlled trial for children with sexual abuse–related PTSD symptoms. Journal of the American Academy of Child & Adolescent Psychiatry. 2004;43(4):393-402.

- 8. Carey P, Walker J, et al. Risk indicators and psychopathology in traumatized children and adolescents with a history of sexual abuse. Journal of American Academic Child and Adolescnce Psychiatry. 2008;36:980-988.
- Currie J. Widom CS. Long-term consequences of child abuse and neglect on adult economic well-being. Child Maltrea-treatment. 2010;15:111-120.
- Johoson B, et al. Adverse behavioral and emotional outcomes fromchild abuse and witnessed violence. Child maltreatment. 2004;7(3):31-44.
- Rodriguez CM. Personal contextual characteristics and cognitions predicting child abuse potential and disciplinary style. Journal of Interpersonal Violence. 2010; 25(2):315-335.
- Zuccurini D, Johnson SM, Dalgleish TL, Makinen JA. Forgiveness and reconciliation in emotionally focused therapy for couples: The client change and therapist intervention. Journal of Marital & Family Therapy. 2012;39(2):148-162.
- 13. Worthington EL, Johnson E, Hook JN, Aten JD. Evidence based practices for Christian counseling and psychotherapy. Intervarsity Press; 2013.
- 14. Walker S. Freedom through forgiveness: the power of forgiveness can change your life. Sandy Walker Press; 2012.
- Ghahari Sh, Mazloumi M. Effectiveness of forgiveness skill on anxiety and depression among women victims of sexual abuse in childhood. Asian journal of Psychiatry. 2018:34-84.
- Reed GL, Enright RD. The effects offorgirenesr Therapy on depression, Anxiety and postreatment stress for women after spousa emotional abuse. Journal Counsulting and Clinical. 2006; 74(5):920–929.
- 17. Leach M, Greer T, Gaughf J. Linguistic analysis of interpersonal forgiveness: Process trajectories. Journal of Personality and Individual Differences. 2010;48:117–122.
- Beck AT, Weissman A, Lester D, Trexler L. The measurement of pessimism: The hopelessness scale. Journal of Consulting and Clinical Psychology.1974;42(6):861-71.
- Dezhgam N. Adaptation and standardizetion of beck's despair scale on students of Islamic Azad University, Tehran. Quarterly

- Journal of Psychological Research. 2004; 8(2/1):100-199.
- Shirinzadeh Dastgiri S, Gudarzi MA, Ghanizadeh A, Naghavi SMR. Comparison of meta-cognitive and responsibility beliefs in patients with obsessive-compulsive disorder, generalized anxiety disorder and normal individuals. Iranian Journal of Psychiatry and Clinical Psychology. 2008; 14:46-55. (Persian)
- Brown RP, Phillips A. Letting bygones be bygones: Further evidence for the validity of the tendency to forgive scale. Pers Indiv Diff. 2005;38:627-38. Years of Evaluation. Clin Psychol Rev. 1988;8:77-100.
- Tse WS, Yip THJ. Relationship among dispositional forgiveness of others, interpersonal adjustment and psycho-

- logical well being: Implication for interpersonal theory of depression. Pers Indiv Diff. 2009;46:365-8.
- 23. Diblasio FA, Benda BB. Forgibeness intervention with married couples: Two empirical analyses. Journal of psychology and Christianity. 2008;27:150-158.
- 24. Suchday S, Freidberg JP, Almeida M. Forgiveness and rumination: A cross-cultural perspective comparing India and the US. Stress and Health. 2006;22:81–89.
- Lavafpour Nouri F, Zahrakar K, Omara S, Azarhoush Fatideh Z, Pourshojaei A, Azarhoush Fatideh N. Effect of psychoeducational forgiveness program on symptoms of depression, anxiety, and stress in adolescents. J Mazandaran Univ Med Sci. 2015;25(123):191-196.

© 2019 Ghahari et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
http://www.sdiarticle3.com/review-history/48940